


```
>NM_170776 ACCESSION:NM_170776 NID: gi 25092692 ref NM_170776.1
      Homo sapiens similar to G protein-coupled receptor 56;
      EGF-TM7-like (GPR-97), mRNA
      Length = 1650
```

Score = 1122 bits (2870), Expect = 0.0
Identities = 548/549 (99%), Positives = 548/549 (99%)
Frame = +1

Query: 1	MATPRGLGALLLLLLLPTSGQEKPTGPRNTCLGSNNMYDIFNLNDKALCFTKCRQSGSD	60
	MATPRGL ALLLLLLLLPTSGQEKPTGPRNTCLGSNNMYDIFNLNDKALCFTKCRQSGSD	
Sbjct: 1	MATPRGLWALLLLLLLLPTSGQEKPTGPRNTCLGSNNMYDIFNLNDKALCFTKCRQSGSD	180
Query: 61	SCNVENLQRYWLNYEAHLMKEGLTQKVNTPFLKALVQNLSTNTAEDFYFSLEPSQVPRQV	120
	SCNVENLQRYWLNYEAHLMKEGLTQKVNTPFLKALVQNLSTNTAEDFYFSLEPSQVPRQV	
Sbjct: 181	SCNVENLQRYWLNYEAHLMKEGLTQKVNTPFLKALVQNLSTNTAEDFYFSLEPSQVPRQV	360
Query: 121	MKDEDKPPDRVRLPKSLFRSLPGNRSVVRLAVTILDIGPGLFKGPRLGLDGGSGVLNNR	180
	MKDEDKPPDRVRLPKSLFRSLPGNRSVVRLAVTILDIGPGLFKGPRLGLDGGSGVLNNR	
Sbjct: 361	MKDEDKPPDRVRLPKSLFRSLPGNRSVVRLAVTILDIGPGLFKGPRLGLDGGSGVLNNR	540
Query: 181	LVGLSVGQMHVTKLAEPLEIVFSHQRPNNMTLTCVFWDVTKGTTGDSWSEGCSTEVRPE	240
	LVGLSVGQMHVTKLAEPLEIVFSHQRPNNMTLTCVFWDVTKGTTGDSWSEGCSTEVRPE	
Sbjct: 541	LVGLSVGQMHVTKLAEPLEIVFSHQRPNNMTLTCVFWDVTKGTTGDSWSEGCSTEVRPE	720
Query: 241	GTVCCCDHLTFFALLLRPTLDQSTVHILTRISQAGCGVSMIFLAFTIILYAFLRLSRERF	300
	GTVCCCDHLTFFALLLRPTLDQSTVHILTRISQAGCGVSMIFLAFTIILYAFLRLSRERF	
Sbjct: 721	GTVCCCDHLTFFALLLRPTLDQSTVHILTRISQAGCGVSMIFLAFTIILYAFLRLSRERF	900
Query: 301	KSEDAPKIHVALGGSFLFLNLAFLVNVGSGSGSDAACWARGAVFHYFLLCAFTWMGLEA	360
	KSEDAPKIHVALGGSFLFLNLAFLVNVGSGSGSDAACWARGAVFHYFLLCAFTWMGLEA	
Sbjct: 901	KSEDAPKIHVALGGSFLFLNLAFLVNVGSGSGSDAACWARGAVFHYFLLCAFTWMGLEA	1080
Query: 361	FHLYLLAVRVFNTYFGHYFLKLSLVGWGLPALMVIGTGSANSYGLYTIRDRENRTSLELC	420
	FHLYLLAVRVFNTYFGHYFLKLSLVGWGLPALMVIGTGSANSYGLYTIRDRENRTSLELC	
Sbjct: 1081	FHLYLLAVRVFNTYFGHYFLKLSLVGWGLPALMVIGTGSANSYGLYTIRDRENRTSLELC	1260
Query: 421	WFREGTTMYALYITVHGYFLITFLFGMVVLA LVVWKIFTL SRATAVKERGKNRKKVLTLL	480
	WFREGTTMYALYITVHGYFLITFLFGMVVLA LVVWKIFTL SRATAVKERGKNRKKVLTLL	
Sbjct: 1261	WFREGTTMYALYITVHGYFLITFLFGMVVLA LVVWKIFTL SRATAVKERGKNRKKVLTLL	1440
Query: 481	GLSSLVGVTWGLAIFTPLGLSTVYIFALFNSLQGVFICCWFTILYLPSQSTTVSSSTARL	540
	GLSSLVGVTWGLAIFTPLGLSTVYIFALFNSLQGVFICCWFTILYLPSQSTTVSSSTARL	
Sbjct: 1441	GLSSLVGVTWGLAIFTPLGLSTVYIFALFNSLQGVFICCWFTILYLPSQSTTVSSSTARL	1620
Query: 541	DQAHSASQE	549
	DQAHSASQE	
Sbjct: 1621	DQAHSASQE	1647



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Boo

Search for

Go

Clear

Limits

Preview/Index

History

Clipboard

Details

Display

Show:

Send to

Get Subsequence

☐ 1: NM_170776. Homo sapiens simi...[gi:25092692]

Links

LOCUS GPR-97 1650 bp mRNA linear PRI 23-DEC-2002

DEFINITION Homo sapiens similar to G protein-coupled receptor 56; EGF-TM7-like (GPR-97), mRNA.

ACCESSION NM_170776

VERSION NM_170776.1 GI:25092692

KEYWORDS .

SOURCE Homo sapiens (human)

ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE 1 (bases 1 to 1650)

AUTHORS Kuznicki,J., Kuznicki,L. and Drabikowski,W.

TITLE Ca²⁺-binding modulator protein in protozoa and myxomycete

JOURNAL Cell Biol. Int. Rep. 3 (1), 17-23 (1979)

MEDLINE 79211378

PUBMED 222487

REFERENCE 2 (bases 1 to 1650)

AUTHORS Fredriksson,R., Lagerstrom,M.C., Hoglund,P.J. and Schioth,H.B.

TITLE Novel human G protein-coupled receptors with long N-terminals containing GPS domains and Ser/Thr-rich regions

JOURNAL FEBS Lett. 531 (3), 407-414 (2002)

MEDLINE 22323027

PUBMED 12435584

REFERENCE 3 (bases 1 to 1650)

AUTHORS Fredriksson,R., Lagerstrom,M.C., Hoglund,P. and Schioth,H.B.

TITLE New human G-protein coupled receptors with long N-terminals containing GPS domains and Ser/Thr rich regions

JOURNAL Unpublished

COMMENT PROVISIONAL REFSEQ: This record has not yet been subject to final NCBI review. The reference sequence was derived from AY140959.1.

FEATURES

Location/Qualifiers

source 1..1650
/organism="Homo sapiens"
/db_xref="taxon:9606"
/chromosome="16"
/map="16q12.2"

gene 1..1650
/gene="GPR-97"
/db_xref="LocusID:222487"

CDS 1..1650
/gene="GPR-97"
/note="G-protein coupled receptor; long N-terminal region containing GPS domains and Ser/Thr rich regions; G protein-coupled receptor 97"
/codon_start=1
/product="similar to G protein-coupled receptor 56; EGF-TM7-like"

```
/protein_id="NP_740746.1"
/db_xref="GI:25092693"
/db_xref="LocusID:222487"
/translation="MATPRGLWALLLLLLLPTSGQEKPTGPRNTCLGSNNMYDIFNL
NDKALCFTKCRQSGSDSCNVENLQRYWLNVEAHLMEGLTQKVNTPFLKALVQNLSTN
TAEDFYFSLEPSQVPRQVMKDEKPPDRVRLPKSLFRSLPGNRSVVRLAVTILDIGPG
TLFKGPRLGLGDGSGVLNNRLVGLSVGQMhVTKLAEPLEIVFSHQRPppNMtLCVFW
DVTKGTTGDWSSEGCSTEVRPEGTVCCCDHLTFFALLLRPTLDQSTVHILTRISQAGC
GVSMIFLAFTIILYAFLRLSRERFKSEDAPIHVALGGSLFLLNLAFLVNVGSGSKGS
DAACWARGAVFHYFLLCAFTWMGLEAFHLYLLAVRVFNTYFGHYFLKLSLVGWLPLAL
MVIGTGSANSYGLYTIRDRENRTSLELCWFREGTTMYALYITVHGYFLITFLFGMVVL
ALVWVKIFTLSRATAVKERGNRKKVLTLLGLSSLVGVTWGLAIFTPLGLSTVYIFAL
FNSLQGVFICCWFTILYLPQSSTTVSSSTARLDQAHSASQE"

misc_feature      634..768
                  /gene="GPR-97"
                  /note="GPS; Region: G-protein-coupled receptor proteolytic
                  site domain"
                  /db_xref="CDD:smart00303"

misc_feature      634..768
                  /gene="GPR-97"
                  /note="GPS; Region: Latrophilin/CL-1-like GPS domain.
                  Domain present in latrophilin/CL-1, sea urchin REJ and
                  polycystin"
                  /db_xref="CDD:pfam01825"

misc_feature      793..1572
                  /gene="GPR-97"
                  /note="7tm_2; Region: 7 transmembrane receptor (Secretin
                  family)"
                  /db_xref="CDD:pfam00002"

variation         1288
                  /gene="GPR-97"
                  /allele="G"
                  /allele="A"
                  /db_xref="dbSNP:2290178"

BASE COUNT      313 a      507 c      446 g      384 t
ORIGIN
1 atggcgacgc ccaggggcct gtggggcctg ctctctgctc tctctgctcc gacctcaggt
61 caggaaaagc ccaccgaagg gccaaagaa acctgcctgg ggagcaacaa catgtacgac
121 atcttcaact tgaatgacaa ggctttgtgc ttcaccaagt gcaggcagtc gggcagcgac
181 tcttgcaatg tggaaaactt gcagagatac tggctaaact acgaggccca tctgatgaag
241 gaaggtttga cgcagaaggt gaacacgcct ttcctgaagg ctttggtcca gaacctcagc
301 accaactctg cagaagactt ctatttctct ctggagccct ctcaggttcc gaggcaggtg
361 atgaaggacg aggacaagcc ccctgacaga gtgcgacttc ccaagagcct ttttcgatcc
421 ctgccaggca acaggtctgt ggtccgcttg gccgtcacca ttctggacat tggtcagggt
481 actctcttca agggcccccg gctcggcctg ggagatggca gcggcgtgtt gaacaatcgc
541 ctggtgggtt tgagtgtggg acaaatgcat gtcaccaagc tggctgagcc tctggagatc
601 gtcttctctc accagcgacc gccccctaac atgaccctca cctgtgtatt ctgggatgtg
661 actaaaggga cactggaga ctggtcttct gagggctgct ccacggaggt cagacctgag
721 gggaccgtgt gctgctgtga ccacctgacc tttttcgcct tgctcctgag acccaccttg
781 gaccagtcca cgggtgcatat cctcacacgc atctcccagg cgggctgttg ggtctccatg
841 atcttctctg ctttcaccat tattctttat gcctttctga ggctttcccg ggagaggttc
901 aagtcagaag atgccccaaa gatccacgtg gccctgggtg gcagcctgtt cctcctgaat
961 ctggccttct tgggtcaatgt ggggagtggt tcaaaggggt ctgatgctgc ctgctgggcc
1021 cgggggggctg tcttcacta ctctctgctc tgtgccttca cctggatggg ccttgaagcc
1081 ttcacactct acctgctcgc tgtcagggtc ttcaaacact acttcgggca ctacttctg
1141 aagctgagcc tgggtgggctg gggcctgccc gccctgatgg tcatcggcac tgggagtgcc
1201 aacagctacg gcctctacac catccgtgat agggagaacc gcacctctct ggagctgtgc
1261 tggttccgtg aagggaacac catgtacgcc ctctatatca ccgtccacgg ctacttctc
1321 atcaccttcc tctttggcat ggtggtcctg gccctggttg tctggaagat cttcacctg
1381 tcccgtgcta cagcggtcaa ggagcggggg aagaaccgga agaaggtgct caccctgctg
```



```
1441 ggcctctcga gcctggtggg tgtgacatgg gggttggcca tcttcacccc gttgggcctc
1501 tccaccgtct acatctttgc acttttcaac tccttgcaag gtgtcttcat ctgctgctgg
1561 ttcaccatcc ttacctccc aagtcagagc accacagtct cctcctctac tgcaagattg
1621 gaccaggccc actccgcatc tcaagaataa
```

//

Revised: July 5, 2002.

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Mar 6 2003 11:06:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bc

Search PubMed

for

Go

Clear

Limits

Preview/Index

History

Clipboard

Details

About Entrez

Display

Citation

Show:

20

Sort

Send to

Text

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Browser

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: FEBS Lett 2002 Nov 20;531(3):407-14

[Related Articles, Link](#)

 ELSEVIER SCIENCE
 FULL-TEXT ARTICLE

Novel human G protein-coupled receptors with long N-terminals containing GPS domains and Ser/Thr-rich regions.

Fredriksson R, Lagerstrom MC, Hoglund PJ, Schioth HB.

Department of Neuroscience, Uppsala University, BMC, Box 593, 751 24, Uppsala, Sweden.

We report eight novel members of the superfamily of human G protein-coupled receptors (GPCRs) found by searches in the human genome databases, termed GPR97, GPR110, GPR111, GPR112, GPR113, GPR114, GPR115 and GPR116. Phylogenetic analysis shows that these are additional members of a family of GPCRs with long N-termini, previously termed EGF-7TM, LNB-7TM, B2 or LN-7TM. Five of the receptors form their own phylogenetic cluster, while three others form a cluster with the previously reported HE6 and GPR56 (TM7XN1). All the receptors have a GPS domain in their N-terminus and long Ser/Thr-rich regions forming mucin-like stalks. GPR113 has a hormone binding domain and one EGF domain. GPR112 has over 20 Ser/Thr repeats and a pentraxin domain. GPR116 has two immunoglobulin-like repeats and a SEA box. We found several human EST sequences for most of the receptors showing differential expression patterns, which may indicate that some of these receptors participate in reproductive functions while others are more likely to have a role in the immune system.

MeSH Terms:

- Amino Acid Sequence
- GTP-Binding Proteins/metabolism*
- Human
- Molecular Sequence Data
- Phylogeny
- Receptors, Cell Surface/metabolism*
- Receptors, Cell Surface/chemistry
- Sequence Homology, Amino Acid
- Serine/chemistry*
- Support, Non-U.S. Gov't
- Threonine/chemistry*

Substances:

- GTP-Binding Proteins
- Threonine
- Serine
- Receptors, Cell Surface

PMID: 12435584 [PubMed - indexed for MEDLINE]

Display	Citation	Show: 20	Sort	Send to	Text
---------	----------	----------	------	---------	------

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

Mar 6 2003 10:50:1